

1 This listing of claims will replace all prior versions, and listings, of claims
2 in the application:

3
4 **Listing of Claims:**

BT
C1
5
6 1. (currently amended) A software version control method comprising:
7 assigning each of a plurality of data files to one of a plurality of specific
8 corresponding downloadable file groups;
9 for each downloadable file group, compressing together all assigned data
10 files to form one processed image for the downloadable file group;
11 associating each resulting processed image with a unique identifier derived
12 therefrom;
13
14 generating a listing of unique identifiers;
15 storing the processed images and the listing of unique identifiers within a
16 source device;
17 comparing the listing of unique identifiers with a current listing of unique
18 identifiers of a client device; and
19
20 selectively sending processed images from the source device whose unique
21 identifiers appear in the listing of unique identifiers but not in the current listing of
22 unique identifiers in the client device.
23
24
25

BT
C1

1 2. (previously presented) The method as recited in Claim 1,
2 wherein the source device includes at least one server device.

3
4 3. (canceled)

5
6
7 4. (previously presented) The method as recited in Claim 1,
8 wherein assigning data files to downloadable file groups further includes assigning
9 a plurality of related function data files to one downloadable file group.

10
11 5. (previously presented) The method as recited in Claim 1, further
12 comprising sending the processed image and the listing of unique identifiers to a
13 client device that stores the processed image and the listing of unique identifiers in
14 a persistent memory.

15 6-7. (canceled)

16
17
18 8. (currently amended) A computer-readable medium having computer-
19 executable instructions for causing at least one processing unit to perform acts
20 comprising:

21 assigning each of a plurality of data files to one of a plurality of specific
22 corresponding downloadable file groups;

23 for each downloadable file group, compressing together all assigned data
24 files to form one processed image for the downloadable file group;
25

BT
C

1 associating each resulting processed image with a unique identifier derived
2 therefrom;

3 generating a listing of unique identifiers;

4 storing the processed images and the listing of unique identifiers within a
5 source device;

6 comparing the listing of unique identifiers with a current listing of unique
7 identifiers of a client device; and

8 selectively sending processed images from the source device whose unique
9 identifiers appear in the listing of unique identifiers but not in the current listing of
10 unique identifiers in the client device.
11

12
13 9. (previously presented) The computer-readable medium as
14 recited in Claim 8, wherein the source device includes at least one server device.
15

16
17 10. (canceled)
18

19 11. (previously presented) The computer-readable medium as
20 recited in Claim 8, wherein assigning data files to downloadable file groups
21 further includes assigning a plurality of related function data files to one
22 downloadable file group.
23
24
25

BT
CL

1 12. (previously presented) The computer-readable medium as recited in
2 Claim 8, further comprising sending the processed image and the listing of unique
3 identifiers to a client device that stores the processed image and the listing of
4 unique identifiers in a persistent memory.

5
6 13-14. (canceled)

7
8 15. (currently amended) An apparatus comprising:

9 memory; and

10 logic coupled to the memory and operatively configured to assign each of a
11 plurality of data files to one of a plurality of specific corresponding downloadable
12 file groups, for each downloadable file group compress together all assigned data
13 files to form one processed image for the downloadable file group, associate each
14 resulting processed image with a unique identifier derived therefrom, store the
15 processed images and a listing of unique identifiers to the memory, and compare
16 the listing of unique identifiers with a current listing of unique identifiers of a
17 client device to identify processed images that need to be provided to the client
18 device.
19
20

21
22 16-20. (canceled)
23
24
25

BT
C1

21. (currently amended) A system comprising:

a network;

a server device operatively coupled to the network and configured to assign each of a plurality of server-based data files to one of a plurality of specific corresponding server-based downloadable file groups, for each server-based downloadable file group compress together all assigned data files to form one processed image for the server-based downloadable file group, associate each resulting processed image with a unique identifier derived therefrom, and selectively output the processed images and a latest listing of unique identifiers over the network; and

a client device operatively coupled to the network and configured to communicate with the server device through the network, wherein the client device is further configured to maintain a listing of unique identifiers associated with processed images stored locally within the client device, compare the listing of unique identifiers with a downloaded latest listing of unique identifiers from the server device, and selectively download processed images whose unique identifiers appears in the latest listing of unique identifiers from the server device but not in the listing of unique identifiers in the client device.

22. (canceled)

BT
C1

1 23. (previously presented) The system as recited in Claim 21,
2 wherein the server device is further configured to selectively assign a plurality of
3 related function data files to one downloadable file group.

4
5 24. (canceled).

6
7 25. (previously presented) The method as recited in Claim 1,
8 wherein the one processed image for the downloadable file group has a ".cim"
9 extension.

10
11 26. (previously presented) The computer-readable medium as
12 recited in Claim 8, wherein the one processed image for the downloadable file
13 group has a ".cim" extension.

14
15
16 27. (previously presented) The apparatus as recited in Claim 15,
17 wherein the one processed image for the downloadable file group has a ".cim"
18 extension.

19
20
21 28. (previously presented) The system as recited in Claim 21,
22 wherein the one processed image for the server-based downloadable file group has
23 a ".cim" extension.

BT
C1

1 29. (currently amended) A computer-readable medium having
2 computer-executable instructions for causing at least one processing unit to
3 perform acts comprising:

4 assigning each of a plurality of data files to one of a plurality of specific
5 corresponding downloadable file groups;

6 for each downloadable file group, compressing together all assigned data
7 files to form one processed image for the downloadable file group;

8 associating each resulting processed image with a unique identifier derived
9 therefrom;

10
11 generating a listing of unique identifiers; and

12 storing the processed images and the listing of unique identifiers within a
13 source device.

14
15 30. (previously presented) A computer-readable medium as recited in
16 Claim 29, wherein the source device includes at least one server device.

17
18
19 31. (canceled)

20
21 32. (previously presented) A computer-readable medium as recited in
22 Claim 29, wherein assigning data files to downloadable file groups further
23 includes assigning a plurality of related function data files to one downloadable
24 file group.
25

BT
C1

1 33. (previously presented) A computer-readable medium as recited
2 in Claim 29, further comprising sending the processed image and the listing of
3 unique identifiers to a client device.

4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25